

**Importation of
Shoots of Asparagus (*Asparagus officinalis*)
from Honduras into the United States**

A Qualitative, Pathway-Initiated Pest Risk Assessment

Greg Bartman, Entomologist
Laura Redmond, Plant Pathologist

United States Department of Agriculture
Animal and Plant Health Inspection Service
Plant Protection and Quarantine
Scientific Services
4700 River Road, Unit 133
Riverdale, MD 20738

April, 1998

Table of Contents

A.	Introduction	1
B.	Risk Assessment	
1.	Initiating Event: Proposed Action	1
2.	Assessment of Weediness Potential	2
3.	Previous Risk Assessments, Current Status and Pest Interceptions	2
4.	Pest List: Pests Associated with <i>Asparagus</i> spp. in Honduras	2
5.	List of Quarantine Pests	4
6.	Quarantine Pests Likely to Follow Pathway	4
7.	Phytosanitary Measures	4
C.	Literature Cited	4

A. Introduction

The Animal and Plant Health Inspection Service (APHIS) of the United States Department of Agriculture (USDA) prepared this pest risk assessment to examine plant pest risks associated with the importation into the United States of **fresh asparagus (*Asparagus officinalis*) shoots grown in Honduras**. Currently this commodity is approved to enter the US; however, we are reviewing the entry status of many commodities in accordance with international guidelines. This is a qualitative pest risk assessment in which estimates of risk are expressed in qualitative terms such as high or low rather than in numerical terms such as probabilities or frequencies. Details of our methodology and rating criteria can be found in: *Pathway-Initiated Pest Risk Assessment: Guidelines for Qualitative Assessments, version 4.0* (USDA, 1995a), available from the individuals named on the front of this pest risk assessment, or on our web site at www.aphis.usda.gov/ppq/bats/bant.

International plant protection organizations such as the North American Plant Protection Organization (NAPPO) and the International Plant Protection Convention (IPPC) of the United Nations Food and Agriculture Organization (FAO) provide guidance for conducting pest risk analyses. The methods we used to initiate, conduct, and report this pest risk assessment are consistent with guidelines provided by NAPPO, IPPC and FAO. Our use of biological and phytosanitary terms such as “introduction” and “quarantine pest” conforms with the *NAPPO Compendium of Phytosanitary Terms* (Hopper, 1996) and the *Definitions and Abbreviations* (Introduction Section) in *International Standards for Phytosanitary Measures, Section 1—Import Regulations: Guidelines for Pest Risk Analysis* (FAO 1996).

B. Risk Assessment

1. Initiating Event: Proposed Action

This pest risk assessment is commodity-based, and therefore "pathway-initiated." The importation into the United States of **fresh asparagus (*Asparagus officinalis*) shoots grown in Honduras** is a potential pathway for introduction of plant pests. 7 CFR §319.56 provides regulatory authority for the importation of fruits and vegetables from foreign sources into the United States.

2. Assessment of Weediness Potential

The results of the weediness screening for *Asparagus officinalis* (Table 1) did not prompt a pest-initiated risk assessment.

Table 1:	Process for Determining Weediness Potential of Commodity
Commodity:	<i>Asparagus officinalis</i> L. (Liliaceae)
Phase 1:	<i>Asparagus officinalis</i> L. (asparagus, garden asparagus) is native to Europe, Asia, and North Africa and is widely cultivated in the United States.
Phase 2:	Is the species listed in: <u>YES</u> * <i>Geographical Atlas of World Weeds</i> (Holm <i>et al.</i> , 1979) <u>NO</u> <i>World's Worst Weeds</i> (Holm <i>et al.</i> , 1977) <u>NO</u> <i>Report of the Technical Committee to Evaluate Noxious Weeds; Exotic Weeds for Federal Noxious Weed Act</i> (Gunn and Ritchie, 1982) <u>NO</u> <i>Economically Important Foreign Weeds</i> (Reed, 1977) <u>NO</u> Weed Science Society of America list (WSSA, 1989) <u>NO</u> Is there any literature reference indicating weediness (<i>e.g.</i> , <i>AGRICOLA</i> , <i>CAB</i> , <i>Biological Abstracts</i> , <i>GRIS</i> ; search on "species name" combined with "weed").
Phase 3:	Conclusion: Proceed with the pest risk assessment.
*The <i>Geographical Atlas of World Weeds</i> includes <i>Asparagus officinalis</i> L. as a common weed in Yugoslavia and a weed of unknown importance in New Zealand.	

3. Previous Risk Assessments, Current Status and Pest Interceptions

Decision History for *Asparagus* spp.

1951 - *Asparagus* was approved entry from all countries of the Western Hemisphere through all ports.

1990 - *Asparagus* was approved entry from Nicaragua through all ports.

Interceptions from Area for FY 1985-97

No pests have been intercepted on *Asparagus* spp. from Honduras during FY85-97 (USDA 1998).

4. Pest List: Pests Associated with *Asparagus* spp. In Honduras

The pest list in Table 2 was developed after a review of some of the information sources listed in USDA (1995). The list summarizes information on the distribution of each pest, pest-commodity association, and regulatory history.

Table 2. Pests of <i>Asparagus</i> spp. in Honduras			
Pest	Distribution ¹	Comments ²	References
Arthropods			
<i>Agrotis ipsilon</i> (Hufnagel) Lepidoptera: Noctuidae	HN, US	c, m, o	CPC, 1997
<i>Ceratitis capitata</i> (Wiedemann) Diptera: Tephritidae	HN	a, b ³ , g	White and Elson-Harris, 1992; FAO Database, 1993.
<i>Estigme acrea</i> Drury Lepidoptera: Arctiidae	HN	c, m, o	Hill, 1987; Zhang, 1994
<i>Helicoverpa zea</i> Boddie Lepidoptera: Noctuidae	HN	c, m, o	EPPO, 1994; USDA, 1995b
<i>Parasaissetia nigra</i> (Nietner) Homoptera: Coccidae	HN, US	c, m, o	CPC, 1997; EPPO, 1994
<i>Saissetia oleae</i> (Bernard) Homoptera: Coccidae	HN, US	c, m, o	CPC, 1997
Fungi			
<i>Rhizoctonia solani</i> Kühn Agonomycetes	HN, US	c, m, o	CPC, 1997; Farr et al., 1989
Nematodes			
<i>Meloidogyne incognita</i> (Kofold and White) Chitwood Tylenchoidea: Heteroderidae	HN, US	c, m, o	FAO, 1993; Goodey et al., 1965; SON, 1984
<i>Meloidogyne javanica</i> (Treub) Chitwood Tylenchoidea: Heteroderidae	HN, US	c, m, o	EPPO, 1994; Goodey et al., 1965; SON, 1984

¹Distribution: HN - Honduras, US - United States

²Codes: a Pest mainly associated with plant part other than commodity.

b Not likely to be a primary plant pest.

c Listed in non-reportable dictionary as non-actionable.

g Quarantine pest; pest has limited distribution in the U.S. and is under official control as follows: pest listed by name in USDA's pest dictionary; official quarantine action may be taken on this pest when intercepted on this commodity.

- m Pest occurs within the country of origin for the commodity being assessed and has been reported to attack the commodity host species in other geographic regions, but has not been reported to attack the commodity host species in the area of origin being assessed.
 - o Organism does not meet the geographical and regulatory definition for a quarantine pest.
- ³*Ceratitis capitata* has been reportedly reared from a red asparagus berry, but there was no confirmation it was garden asparagus (*Asparagus officinalis*) (White and Elson-Harris, 1992).

5. List of Quarantine Pests

The list of quarantine pests for commercial shipments of **asparagus from Honduras** is provided below. Should any of these pests be intercepted on commercial (or any other) shipments of *Asparagus spp.* quarantine action may be taken.

Ceratitis capitata (Wiedemann)

6. Quarantine Pests Likely to Follow Pathway

From the previous lists there were no pests likely to follow the pathway. Plant pests in this Assessment, not chosen for further scrutiny, may be potentially detrimental to the agricultural production systems of the United States; however, there were a variety of reasons for not subjecting them to further analysis. For example, they are associated mainly with plant parts other than the commodity.

Asparagus from Honduras is currently permitted entry into the United States. Should additional pests, not identified in this Risk Assessment be intercepted, appropriate quarantine action will be taken.

C. References

- CPC 1997. Crop Protection Compendium Database. Module 1, South-East Asia and Pacific. CAB International. Wallingford, UK.
- EPPO. 1994. European and Mediterranean Plant Protection Organization (EPPO) Plant Quarantine Retrieval (PQR) System, version 3.0, computerized data base. Information in the data base originates from: Smith, I. M. 1992. Quarantine Pests for Europe. Oxon, UK: CAB International, Paris: Published in association with the European and Mediterranean Plant Protection Organization.
- FAO. 1993. Global plant quarantine information system, Plant Pest Data Base, version 2.1. (Computerized Plant Pest Data Base of the Food and Agriculture Organization (FAO) of the United Nations). IPPC Secretariat FAO/AGPP Viale delle Terme di Caracalla. Rome.
- FAO. 1996. International Standards for Phytosanitary Measures. Section 1 - Import Regulations. Guidelines for Pest Risk Analysis (Draft Standard). Secretariat of the International Plant Protection Convention of the Food and Agriculture Organization of the United Nations. Rome, Italy. 21 pp.
- Farr, D.F., G.F. Bills, G.P. Chamuris & A.Y. Rossman. 1989. Fungi on plants and plant products in

- the United States. American Phytopathological Society, St. Paul, Minnesota. 1252 pp.
- Goodey, J.B, M.T Franklin, D.J. Hooper. 1965. T. Goodey's The Nematode Parasites of Plants Catalogued under their Hosts. Commonwealth Agricultural Bureaux, Farnham Royal, Bucks., England. 214 pp.
- Gunn, C.R. and C. Ritchie. 1982. 1982 Report of the Technical Committee to Evaluate Noxious Weeds; Exotic Weeds for Federal Noxious Weed Act. (Unpublished).
- Hill, D.S. 1987. Agricultural Insect Pests of Temperate Regions and their Control. Cambridge University Press, Cambridge, London.
- Holm, L.G., D. L. Plucknett, J.V. Pancho and J.P. Herberger. 1977. The World's Worst Weeds. University of Hawaii Press, Honolulu. 609 pp.
- Holm, L.G., J. V. Pancho and J.P. Herberger and D. L. Plucknett. 1979. A Geographical Atlas of World Weeds. John Wiley and Sons, New York. 391 pp.
- Hopper, B.E. 1996. NAPPO Compendium of Phytosanitary Terms. NAPPO Doc. No. 96-027/ North American Plant Protection Organization (NAPPO). NAPPO Secretariat, Ottawa, Ontario, Canada. 25 pp.
- Reed, C. F. 1977. Economically Important Foreign Weeds. Agriculture Handbook No. 498, 746 pp.
- Society of Nematologists (SON). 1984. Distribution of plant-parasitic nematode species in North America. 205 pp.
- U.S. Department of Agriculture (USDA). 1995a. Pathway-Initiated Pest Risk Assessment: Guidelines for Qualitative Assessments, version 4.0. USDA-APHIS-PPQ, Riverdale, MD.
- U.S. Department of Agriculture (USDA). 1995b. United States Pest List: Asparagus. U.S. Department of Agriculture, May 18, 1995. Internal Document.
- U.S. Department of Agriculture (USDA). 1998. Interceptions from Honduras for FY 85 - 98 from APHIS records.
- White, I. M. and M. M. Elson-Harris .1992. Fruit Flies of Economic Importance: Their Identification and Bionomics. C.A.B. International. London, UK. 601pp.
- WSSA. 1989. Composite List of Weeds. Weed Science Society of America. 112 pp.
- Zhang, BC. 1994. Index of Economically Important Lepidoptera. CAB International, Wallingford, UK. 599 pp.